







has been providing unique and innovative hygienic infrastructure management solutions to the Food and Beverage Industry.

Blome International offers Food and Beverage Manufacturers a total One-Stop-Solution in the design and manufacture of a comprehensive range of internal envelope floor and wall finishes. We provide a competitive advantage through value engineered solutions that meet your needs and requirements for safety, durability, sanitation, hygiene, aesthetics and life-cycle economics.



Our Total Solution approach focuses on all facets of your manufacture and sanitation process. In the era of ever increasing food safety regulations, Blome International is the name you should know for:

- Project design and specification
- Innovative products and solutions
- Expert technical support and service
- Superior quality manufactured products
- Value engineering and economic analysis



with HY-CLENE™ Antimicrobial Technology

VERSI-TILE VITRIFIED CERAMIC TILES

- Fully Vitrified Industrial Ceramic Tile
- Vitrified Clinker Industrial Ceramic Tile
- Vitrified Paver Industrial Brick Systems
- CP-36 VTG: Vitrified Tile Grade Epoxy Setting Bed
- CP-96 VTG: Vitrified Tile Grade Novolac Setting Bed
- CP-104: Non-Shrink Vinyl Ester Tile Grout
- CP-110HB: High Bond Vinyl Ester Mortar
- CP-3810 : Vitrified Tile Grade Water Washable Epoxy Grout
- CP-3811: Water Washable Epoxy Floor and Wall Grout
- CP-9810 : Vitrified Tile Grade Water Washable Novolac Grout
- CP-9811: Water Washable Novolac Epoxy Floor and Wall Grout

MAINTENANCE GROUT

- CP-98: Extended Worktime Water Washable Novolac Grout
- CP-96TG: Fast Cure High Chemical Resistance Novolac Grout
- CP-3811: Water Washable Epoxy Maintenance Grout
- CP-9811: Water Washable Novolac Epoxy Maintenance Grout

BRICK AND TILE GROUTS / MORTARS

- CP-25/25C: Furan Setting Bed / Joint Mortars
- CP-25CG: Carbon Filled Furan Grout
- CP-36: Epoxy Setting Bed / Joint Mortar
- **CP-96**: Novolac Epoxy Setting Bed / Joint Mortar
- CP-98: Extended Worktime Water Washable Novolac Grout
- CP-96TG: Fast Cure High Chemical Resistance Novolac Grout
- CP-3811 : Water Washable Epoxy Brick & Tile Grout
- **CP-9811** : Water Washable Novolac Epoxy Brick & Tile Grout
- CP-100C: Carbon Filled Vinyl Ester Mortar
- CP-104: Non-Shrink Vinyl Ester Brick & Tile Grout
- **CP-110HB**: High Bond Vinyl Ester Brick & Tile Mortar

MEMBRANE SYSTEMS

- MEMBRANE 67: Urethane Asphalt Membrane
- MEMBRANE 68: High Temperature Asphalt Membrane
- MEMBRANE 72: Trowelable Urethane Membrane
- **MEMBRANE 74**: Waterproofing and Anti-Fracture Membrane
- MEMBRANE 510 : Acid & Solvent Resistant Sheet Membrane

(CONTINUED)

PRIMERS AND SEALANTS

- EC-2500 : DTM (Direct To Metal) Epoxy Primer
- PRIMER 71: Urethane Polymer Secondary Bonding Agent
- **PRIMER 75**: Moisture Tolerant Epoxy Primer (Green Concrete)
- PRIMER 76 OTP: Oil Tolerant Epoxy Primer
- PRIMER 205 : High Elongation Vinyl Ester Primer
- **SEALANT 50**: Urethane Asphalt Joint Sealant
- **SEALANT 55MT**: Moisture Tolerant Epoxy Novolac Joint Sealant
- **SEALANT 63**: High Elongation Polyurea Joint Sealant
- SEALANT 73: Polyurea Expansion Joint Sealant

SEAMLESS SANITARY FLOORING SYSTEMS

250-500 mil Systems

- THERMCRETE™: Polyurethane Cement Floor Surfacer
- EC-880: Trowel Applied Epoxy Floor Surfacer
- EC-990: Trowel Applied Novolac Epoxy Floor Surfacer
- EC-200HMW: Vinyl Ester High-build Surfacer

16-250 mil Systems

- THERMCRETE™: Polyurethane Cement Floor Surfacer
- EC-55MT S : Flexible Novolac Epoxy Coating and Lining System
- EC-66: Flexible Epoxy Coating and Lining System
- EC-80 : Epoxy Coating and Lining System
- EC-90 : Novolac Epoxy Coating and Lining System
- EC-200 : Vinyl Ester Coating and Lining System
- EC-2000 : Fluoroelastomer Coating System
- EC-8601: Clear Epoxy Resin System
- **EC-8602**: Pigmented Epoxy Resin System

TANK LINING SYSTEMS

- TL-40-S: Sprayable High Build Epoxy Coating & Lining
- TL-81: Fast Curing High Build Epoxy Coating & Lining
- TL-45-S: Sprayable High Build Novolac Epoxy Coating & Lining
- TL-91: Fast Curing High Build Novolac Epoxy Coating & Lining
- TL-220-S: Sprayable Flake Filled Vinyl Ester Coating & Lining
- TL-225NS: Sprayable Teflon Filled Vinyl Ester Coating & Lining

HIGH TEMPERATURE SOLUTIONS

- CP-29: High Temp Carbon Filled Furan Mortar
- CP-83HT: HT Epoxy Adhesive Mortar
- CP-83UHT : Ultra HT Epoxy Adhesive Mortar
- CC-2002 : Ultra HT Epoxy / Ceramic Wear Compound
- TL-274HT: HT Hybrid Novolac Epoxy DTM Coating
- TL-294HT: HT Glass Flake Filled Novolac Epoxy Lining
- TL-220S HT: HT Glass Flake Filled Vinyl Ester Lining
- TL-280HT: HT Glass Flake Filled HMW Vinyl Ester Lining
- TL-405HT: HT Glass Reinforced Vinyl Ester Lining System

RESTORATION / RESURFACING / RESLOPING MATERIALS

- CP-14CC: Modified Calcium Aluminate Concrete
- CP-24CC: Potassium Silicate Concrete
- CP-35 : Furan Polymer Concrete
- **CP-85CC**: Epoxy Polymer Concrete
- CP-95: Novolac Epoxy Polymer Concrete
- CP-300: Non-Shrink Vinyl Ester Polymer Concrete
- CP-350C: Carbon-filled Vinyl Ester Polymer Concrete
- CP-926 (R590): Fast Cure Penetrating Epoxy Underlayment
- CP-926MT (R540): Moisture Tolerant Epoxy Underlayment
- Blome 922 : Latex Fortified Mortar
- Blome 925 : Emulsified Epoxy Concrete / Mortar

MACHINERY GROUT SYSTEMS

- **DURAGROUT™**: Epoxy Machinery Grout
- **DURAGROUT™ FS**: Fast Setting Epoxy Machinery Grout
- **DURAGROUT™ HF**: High Flow Epoxy Machinery Grout
- **CP-95HF**: High Flow Novolac Epoxy Machinery Grout

COATINGS FOR WALLS & CEILINGS

- MC-100WB : Acrylic Waterborne Enamel
- MC-3000 : High Solids Surface Tolerant Epoxy Coating
- MC-3010 : Fast-drying VOC Compliant Epoxy Coating
- MC-3030 : Gloss Aliphatic Acrylic Polyurethane Topcoat
- MC-3050 : Aliphatic Polyester Polyurethane Coating





Surrounding You with Exceptional Protection™

Our vast arsenal of high-performance products means that we can offer a solution specific to your immediate need or challenge. And our broad technical expertise and commitment means you can expect a dedicated partner before, during and after the job.











CALL US TODAY for an expert consultation on the needs and requirements of your facility.

Blome International

1450 Hoff Industrial Drive | O'Fallon, MO 63366 | USA

Office +1 636 379 9119 Fax +1 636 409 1314 E-mail support@blome.com

Keith Pfaff, Vice President

Engineered Linings Specialist
Direct +1 302 420 1332
E-mail keith@blome.com

Andy Bernard, President

Direct +1 314 560 7777 E-mail andy@blome.com





